

DATA SHEET 20146.125.43100

## Backlit Jet

Backlit Ink Jet Film for backlight displays. Brilliant, vibrant colours, even when front lit. The Film can be imaged on most common LF Ink Jet Thermal or Piezo plotters using dye or pigmented inks. Superb ink receiving coating, image resolution, ink saturation and high contrast. It has good lamination properties for outdoor applications ensuring reliable and safe results.

### Printing Systems



### Formats

Art.Number	Format	Nominal thickness (mm)	Packing quantity
20146.125.44100	A4	0.125	50
20146.125.43100	A3	0.125	50

### Technical data

#### Characteristic

- Brilliant and vibrant colors prints
- Excellent dimensional stability
- Good light resistance properties
- Super sharp edge definition
- High Level Ink Absorption
- Instant dry
- Dedicated coating for Backlit Displays

#### Finish

- Matt Translucent Surface

## Specifications

Coating Printsideside	Ink Jet
Width (inch)	11.69
Width (mm)	297
Printside	Matt side
Format	A3
Length (inch)	16.54
Length (mm)	420
Nominal thickness (mil)	5
Nominal thickness (mm)	0.125
Backside	Glossy side
Base Material	Polyester film
Packing quantity	50

## Compatibility

### Handling

- Please follow the handling instructions supplied with this product as well as the Ink Jet Printer manufacturers manual.
- Avoid moisture and fingerprints.


### Storage


- Once packaging is opened, store at a room temperature of 15 - 25°C and at a humidity of 30 - 60 %
- Store in a cool and dry place

#### Product liability clause

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.

**INK JET FILM**  
INK JET FOLIEN  
FILM POUR JET D'ENCRE  
FILM PER GETTO D'INCHIOSTRO



Swiss quality 

**folex**<sup>®</sup>  
I M A G I N G

- HP ✓
- CANON ✓
- EPSON ✓
- APPLE ✓
- DIGITAL ✓
- KODAK ✓
- LEXMARK ✓
- OLIVETTI ✓
- TEKTRONIX ✓
- XEROX ✓
- ETC.

**Backlit Jet**  
0.125 mm  
50 Sheets A4

