

DATA SHEET 2972E.050.0102V

## BG72/E

Clear transparent PET Face Film for the production of self-adhesive labels for toner printers

### Printing Systems



### Rolls

Art.Number	Width (mm)	Thickness	Length (m)
2972E.050.0102V	1020	0.050 mm	Bulk Roll

### Technical data

#### Characteristic

- Excellent runnability
- Excellent toner bonding
- Heat resistant
- High transparency
- Highly universal
- Tear resistant

#### Finish

- Clear transparent

#### Specifications

Coating Printsides	Toner print receptive coating on outside of jumbo roll
Width (mm)	1020

Thickness of carrier material	0.050 mm
Thickness base material with inkjet coating	0.050 mm
Grammage	Base Film incl. coating ~72 g/m <sup>2</sup> ,
Length (m)	Bulk Roll
Roll width / Roll usable width	Please contact Folex if you need other roll widths and roll lengths. We can convert the rolls according to your wishes.
Base Material	Polyester

### **Compatibility**

### **Storage**

- Once packaging is opened, store at a room temperature of 15 - 25°C and at a humidity of 30 - 60%.
- Shelf life: 1 year after delivery

### **Product liability clause**

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.